



Apron  
One Size Fits Most

Placemat (makes 4)  
SIZE 14" X 18"





One Size Fits Most

**FABRIC  
REQUIREMENTS**

	Fabric A 26452 K 1 YARD
	1 BOLT
	Fabric B 26453 K 1 1/8 YARDS
	2 BOLTS
©International Harvester	

- \* Numbers within gray box = Number of Bolts needed to make 12 Kits

*We recommend that you carefully read through all instructions before getting started on your project.*

## CUTTING DIRECTIONS

Following the Cutting Diagram for the apron, cut (1) apron piece from **Fabric A**.

NOTE: The measurements at the top of the apron diagram are to help create the curve.



Place **Fabric B** right side up. Fold (1) side over 8" and cut the tie pieces and pockets from the double layered section. Cut the bottom band piece from the single layer section.

## SEWING INSTRUCTIONS

1. Fold one tie piece in half lengthwise with the right sides together. Stitch along one long side and one short side using a ¼" seam allowance. Turn right side out and press. Repeat with remaining tie pieces.
2. Fold the Bottom Band together lengthwise, wrong sides together, baste the top and side raw edges together.
3. Stitch the long raw edge of the band to the apron bottom. Press flat towards the apron and top stitch along pressed seam allowance ⅛" from the seam.
4. Hem the apron top and sides: press the sides ¼" to the wrong side and press ¼" again. Stitch close to the pressed edge. Repeat with the curved sides and top of the apron.
5. Press top of pocket to wrong side ¼" and then ½" again. Topstitch. Press sides and bottom of pocket to wrong side ¼". Pin to apron in desired place. Topstitch to apron. Repeat with second pocket.
6. Pin the waist tie to the top waist edge of the apron, wrong sides together, ¼" from the edge. Stitch in place. Fold the waist tie back out to the line just stitched and stitch in place on the edge of the apron. The raw edges of the tie will be encased in the second seam. Repeat with remaining waist tie.
7. Following the above sewing method attach the neck ties to the top corners of the apron.

Wrong side  
of fabric

*While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.*







Finished Size: 14"x 18"  
Makes 4

### FABRIC REQUIREMENTS

	<b>Fabric A</b> <b>26452 K</b> $\frac{2}{3}$ YARD 1 BOLT		<b>Fabric B</b> <b>26453 K</b> $\frac{1}{4}$ YARD 1 BOLT		<b>Fabric C</b> <b>23528 MR*</b> $\frac{1}{4}$ YARD 1 BOLT
	<b>Fabric D</b> <b>23528 EZ*</b> $\frac{1}{4}$ YARD 1 BOLT		<b>Fabric E</b> <b>26453 KZ</b> $\frac{1}{4}$ YARD 1 BOLT		<b>Fabric F</b> <b>23528 KZ*</b> $\frac{7}{8}$ YARD 1 BOLT
	<b>Fabric G</b> <b>26452 J</b> $1\frac{1}{8}$ YARDS** 2 BOLTS	* from the Color Blends Collection ** Backing only ©International Harvester			

\* Numbers within gray box = Number of Bolts needed to make 12 Kits

*We recommend that you carefully read through all instructions before getting started on your project.*

## CUTTING DIRECTIONS

**WOF = Width of fabric**

### Fabric A

- Cut (4) rectangles 9½" x 13½"

### Fabric B

- Cut (2) 2½" x WOF, Subcut (28) 2½" x 2½" squares

### Fabric C

- Cut (2) 2½" x WOF, Subcut (28) 2½" x 2½" squares

### Fabric D

- Cut (2) 2½" x WOF, Subcut (28) 2½" x 2½" squares

### Fabric E

- Cut (2) 2½" x WOF, Subcut (28) 2½" x 2½" squares

### Fabric F

- Cut (5) 1" x WOF, Subcut (8) 1" x 9½" and (8) 1" x 14½"
- Cut (8) 2½" x WOF, Miter short ends together, trim and press open. Press strip in half lengthwise with wrong sides together. BINDING

### Fabric G

- Cut (2) 16" x WOF, Subcut (4) 16" x 20" BACKING

## SEWING INSTRUCTIONS

All seams are sewn with a ¼" seam allowance. Press seams towards the dark fabric, unless otherwise stated.

1. Sew the 1" x 9½" **Fabric F** strips to the left and right sides of the 9½" x 13½" **Fabric A** rectangles.
2. Sew the 1" x 14½" **Fabric F** strips to the top and bottom of **Fabric A**.
3. Using the 2½" squares and following the color placement in Figure 1, sew the Block Border pieces. Make (4) of each Block Border.
4. Sew short Block Borders to the left and right sides of **Fabric F**. Press towards **Fabric F**. Watch color placement.
5. Sew long Block Borders to the top and bottom of **Fabric F**. Press towards **Fabric F**. Watch color placement.
6. Layer, Machine Quilt, and Bind.




Figure 1




Figure 2

*While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.*