


SIZE 44" x 52"










Designed by: Cyndi Hershey



Finished Size: 44" x 52"

FABRIC REQUIREMENTS

	Fabric A 31241 X (1) 36" PANEL		Fabric B 31242 X $\frac{2}{3}$ YARD		Fabric C 31244 B $\frac{1}{4}$ YARD		Fabric D 31244 H $\frac{1}{2}$ YARD
	Fabric E 31243 B $\frac{1}{2}$ YARD		Fabric F 31242 X $\frac{5}{8}$ YARD*		Suggested Backing 31243 N 3 YARDS**	* Binding ** Suggested backing fabric. Not supplied with kits.	

We recommend that you carefully read through all instructions before getting started on your project.

CUTTING DIRECTIONS

Note: All strips are cut across the width of the fabric (perpendicular to selvages) unless noted otherwise.

¼" seam allowance included in all piecing and yardage requirements.

Fabric A, cut:

- Panel to 35" x 42½"

Fabric B, cut:

- (3) 4⅞" strips; subcut (20) 4⅞" squares. Subcut each square in half diagonally to yield 40 half-square triangles.
- (1) 5¼" strip: Subcut:
 - (1) 5¼" square. Cut diagonally in both directions to yield 4 quarter-square triangles.
 - (1) 3¼" square. Cut diagonally in both directions to yield 4 quarter-square triangles.
 - (2) 2⅞" squares. Cut each square in half diagonally to yield 4 half-square triangles.

Fabric C, cut:

- (2) 1½" x 36½" strips.
- (2) 1¼" x 42½" strips.

Fabric D, cut:

- (2) 5¼" strips; subcut (10) 5¼" squares. Subcut each square diagonally in both directions to yield 40 quarter-square triangles. From remainder of 5¼" strips, subcut:
 - (2) 4⅞" squares. Cut each square in half diagonally to yield 4 half-square triangles.
 - (1) 3¼" square. Cut diagonally in both directions to yield 4 quarter-square triangles.

Fabric E, cut:

- (2) 5¼" strips; subcut (10) 5¼" squares. Subcut each square diagonally in both directions to yield 40 quarter-square triangles. From remainder of 5¼" strips, subcut (2) 3⅞" squares.

Fabric F, cut:

- (6) 2¼" strips for binding.


Backing, cut:

- (2) 52" x WOF

CONSTRUCTION


Block 1

1. Sew a 5¼" **Fabric D** triangle to a 5¼" **Fabric E** triangle along short sides. Press toward the darker fabric triangle. Make 18.



Make 18


2. Sew a 4⅞" **Fabric B** triangle to a unit from step 1 to complete 4½" x 4½" block. Press toward the larger triangle. Make 18 Block 1.



Make 18


Block 2

3. Sew a 5¼" **Fabric D** triangle to a 5¼" **Fabric E** triangle along opposite short side that was sewn in Block 1. Press toward the darker fabric triangle. Make 18.



Make 18


4. Sew a 4⅞" **Fabric B** triangle to a unit from step 3 to complete 4½" x 4½" block. Press toward the larger triangle. Make 18 Block 2.



Make 18


Block 3

5. Sew a $5\frac{1}{4}$ " **Fabric D** triangle to a $5\frac{1}{4}$ " **Fabric E** triangle along short sides. Press toward the darker fabric triangle. Make 2.




Make 2

6. Sew a $5\frac{1}{4}$ " **Fabric B** triangle to a $5\frac{1}{4}$ " **Fabric E** triangle along short sides. Press toward the darker fabric triangle. Make 2.



Make 2


7. Sew a unit from step 5 to a unit from step 6 to complete $4\frac{1}{2}$ " x $4\frac{1}{2}$ " block. Press. Make 2 Block 3. Set aside remaining $5\frac{1}{4}$ " **B** and **D** triangles for another project.



Make 2


Block 4

8. Sew a $2\frac{7}{8}$ " **Fabric B** triangle to adjacent sides of a $3\frac{3}{8}$ " **Fabric E** square. Press toward the large triangles. Make 2 units.




Make 2

9. Sew a $3\frac{1}{4}$ " **Fabric B** triangle to a $3\frac{1}{4}$ " **Fabric D** triangle along short sides. Press toward the darker fabric triangle. Make 2.




Make 2

10. Repeat step 9 but sew seam on the opposite side of triangles. Press toward the darker fabric triangle. Make 2.



Make 2


11. Sew a step 9 unit to 1 side of a step 8 unit. Sew a step 10 unit to the remaining side to complete $4\frac{1}{2}$ " x $4\frac{1}{2}$ " block. Press toward the triangle units. Make 2 Block 4.



Make 2

Corner Squares

12. Sew a $4\frac{7}{8}$ " **Fabric B** triangle to a $4\frac{7}{8}$ " **Fabric D** triangle along the long sides. Press toward the darker fabric triangle. Make (4) $4\frac{1}{2}$ " x $4\frac{1}{2}$ " Corner Squares.




Make 4

ASSEMBLY

13. Sew a $1\frac{1}{4}$ " x $42\frac{1}{2}$ " **Fabric C** strip to each side of the panel. Press toward the **Fabric C** strips.

14. Sew the $1\frac{1}{2}$ " x $36\frac{1}{2}$ " **Fabric C** strips to the top and bottom of the panel.

15. The quilt center should measure $36\frac{1}{2}$ " x $44\frac{1}{2}$ ".



16. Sew five Block 1, five Block 2 and one Block 3 together to create side border. Press. Repeat.



Make 2

17. Sew four Block 1, four Block 2 and one Block 4 together to create top border. Press. Repeat to create bottom border.



Make 2

18. Sew a Corner Square to each end of both the top and bottom borders.




Make 2

19. Sew the side borders to the framed panel. Press

toward the panel.

20. Sew the top and bottom borders to the framed panel. Press toward the panel.



FINISHING

21. Join **Backing** pieces lengthwise with a $\frac{1}{2}$ " seam allowance. Press the seam open.

22. Layer quilt top, batting and backing. Quilt as desired.

23. Trim layers even with quilt top.

24. Prepare binding using $2\frac{1}{4}$ " **Fabric F** strips. Sew to quilt using your preferred method.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.