


Quilt: 37½" x 39"




Designed by: QT Fabrics



Finished Size: 37½" x 39"

FABRIC REQUIREMENTS

	Fabric A 30176 H 1 YARD		Fabric B* 30173 Q 1¼ YARDS		Fabric C 30174 X ⅓ YARD		Fabric D** 030175 Q 1¼ YARDS
---	--------------------------------------	---	---	--	--------------------------------------	---	---

* includes binding

** backing only

Batting: 44" x 45"

*

We recommend that you carefully read through all instructions before starting your project.

CUTTING DIRECTIONS

Note:

WOF= Width of Fabric (perpendicular to the selvages). Measurements include a 1/4" seam allowance.

Fabric A

- Cut (4) 6 1/2" x WOF strips. Subcut 33 triangles from the strips. See *Cutting Triangles to the right*.

Fabric B


- Cut (4) 6 1/2" x WOF strips. Subcut 33 triangles from the strips. See *Cutting Triangles*.
- Cut (4) 2 1/4" x WOF strips, sew end-to-end for continuous binding strip.

Fabric C

- Cut (4) 2" x WOF strips.

Cutting Triangles

Using the 60 degree line of a quilting ruler, align on a straight edge of fabric. Flip the ruler as necessary to cut additional triangles. Cut along the edge of the ruler. Turn the ruler as necessary, place the 60° line on the edge of the fabric strip, and cut to make a triangle. Continue in this method to cut the required number of triangles.




ROW ASSEMBLY

All measurements include $\frac{1}{4}$ " seam allowances.


NOTE: Triangles are cut on the bias. Sew carefully to avoid stretching the fabric.

1. Sew 6 Fabric A triangles and 5 Fabric B triangles together to make a row. Press the seam allowances open. Make 3 Row 1.



Row 1

- 2 Sew 6 Fabric B triangles and 5 Fabric A triangles together to make a row. Press the seam allowances open. Make 3 Row 2.




Row 2

QUILT TOP ASSEMBLY

1. Sew the rows together to make the quilt center. Press the seam allowances open.

TIP: Sew a Row 1 and a Row 2 together into a pair. Make 3 pairs, and then join the pairs.


2. Trim the sides of the quilt center $\frac{1}{4}$ " beyond the point intersections as shown.



Quilt Center Diagram

3. Measure the length of the quilt center. Trim 2 Fabric C strips to that measurement and sew them to the opposite sides of the quilt center. Press the seam allowances toward the borders.

4. Measure the width of the quilt, including side borders. Trim the remaining Fabric C strips to that measurement and sew them to the top and bottom. Press.



Quilt Assembly Diagram

FINISHING

1. Layer the backing, batting, and quilt top. Baste the layers together.
2. Quilt as desired.
3. Make double-fold binding using the $2\frac{1}{4}$ "-wide Fabric B strips, and sew the binding to the quilt.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.