


# **Picture This Quilt** FEATURING TWEET TWEET


46" x 60"



QTfabrics.com | ©QT Fabrics | All rights reserved







Finished Size: 46" x 60"

| FABRIC REQUIREMENTS |                                     |  |                                     |  |                                  |  |                                    |  |
|---------------------|-------------------------------------|--|-------------------------------------|--|----------------------------------|--|------------------------------------|--|
|                     | Fabric A<br>29272 L<br>(1) panel    |  | Fabric B*00000<br>29275 Q<br>¾ YARD |  | Fabric C<br>29274 Z<br>¼ YARD    |  | Fabric D<br>29276 L<br>½ YARD      |  |
|                     | Fabric E 00000<br>29273 Z<br>½ YARD |  | Fabric F<br>29274 L<br>¾ YARD       |  | Fabric G**<br>29272 Z<br>3 YARDS |  | includes binding<br>* backing only |  |

QTfabrics.com | ©QT Fabrics | All rights reserved





We recommend that you carefully read through all **CONSTRUCTION** instructions before starting your project.

# **CUTTING DIRECTIONS**

#### Note:

WOF= Width of Fabric (perpendicular to the selvages).

#### **Fabric A**

• Trim panel to 231/2" x 421/2".

#### Fabric B

• Cut (4) 13/4 XWOF strips. Subcut into (2) 1<sup>3</sup>/<sub>4</sub>" x 40<sup>1</sup>/<sub>2</sub>" strips, (2) 1<sup>3</sup>/<sub>4</sub>" x 23<sup>1</sup>/<sub>2</sub>" strips and (2) 1<sup>3</sup>/<sub>4</sub>" x 5" strips. • Cut (6)  $2\frac{1}{2}$ " x WOF strips for binding.

#### Fabric C

• Cut (4) 13/4 XWOF strips. Subcut into (2) 1<sup>3</sup>/<sub>4</sub>" x 40<sup>1</sup>/<sub>2</sub>" strips, (2) 1<sup>3</sup>/<sub>4</sub>" x 26" strips and (2) 1<sup>3</sup>/<sub>4</sub>" x 7<sup>1</sup>/<sub>2</sub>" strips.

#### Fabric D

• Cut (7) 13/4" x WOF strips. Subcut into (4) 13/4" x 401/2" strips, (2) 1<sup>3</sup>/<sub>4</sub>" x 28<sup>1</sup>/<sub>2</sub>" strips, (2) 1<sup>3</sup>/<sub>4</sub>" x 20" strips and (2) 1<sup>3</sup>/<sub>4</sub>" x 10" strips.

### Fabric E

• Cut (9) 1<sup>3</sup>/<sub>4</sub>" x WOF strips. Subcut into (4) 13/4" x 401/2" strips, (2) 1<sup>3</sup>/<sub>4</sub>" x 31" strips, (2) 1<sup>3</sup>/<sub>4</sub>" x 20" strips and (2) 1<sup>3</sup>/<sub>4</sub>" x 12" strips.

#### Fabric F

- Cut (3) 41/2" x WOF strips. Subcut into (2) 4<sup>1</sup>/<sub>2</sub>" x 40<sup>1</sup>/<sub>2</sub>" strips and (2) 41/2" x 20" strips.
- Cut (2) 4<sup>1</sup>/<sub>4</sub>" × WOF strips. Subcut into (2) 4<sup>1</sup>/<sub>4</sub>" x 33<sup>1</sup>/<sub>2</sub>" strips.

### Fabric G

• Cut (2) 52" x WOF pieces for backing.

All measurements include 1/4" seam allowances.

**1.** Sew (1) 1<sup>3</sup>/<sub>4</sub>" x 40<sup>1</sup>/<sub>2</sub>" *Fabric B* strip to (1) 1<sup>3</sup>/<sub>4</sub>" x 5" Fabric B strip to make (1) 1<sup>3</sup>/<sub>4</sub>" x 45" Fabric B strip. Make 2 units.

**2.** Sew (1) 1¾" x 40½" *Fabric C* strip to (1) 1¾" x 7½" Fabric C strip to make (1) 13/4" x 471/2" Fabric C strip. Make 2 units.

**3.** Sew (1) 1¾" x 40½" *Fabric D* strip to (1) 1¾" x 10" Fabric D strip to make (1) 1<sup>3</sup>/<sub>4</sub>" x 50" Fabric D strip. Make 2 units.

**4.** Sew (1) 1¾" x 40½" *Fabric D* strip to (1) 1¾" x 20" Fabric D strip to make (1) 1<sup>3</sup>/<sub>4</sub>" x 60" Fabric D strip. Make 2 units.

5. Sew (1) 1¾" x 401/2" *Fabric E* strip to (1) 1¾" x 12" Fabric E strip to make (1) 1<sup>3</sup>/<sub>4</sub>" x 52<sup>1</sup>/<sub>2</sub>" Fabric E strip. Make 2 units.

6. Sew (1) 1¾" x 40½" *Fabric E* strip to (1) 1¾" x 20" Fabric E strip to make(1) 1<sup>3</sup>/<sub>4</sub>" x 60" Fabric E strip. Make 2 units.

7. Sew (1) 4<sup>1</sup>/<sub>2</sub>" x 40<sup>1</sup>/<sub>2</sub>" *Fabric F* strip to (1) 4<sup>1</sup>/<sub>2</sub>" x 20" Fabric F strip to make (1) 41/2" x 60" Fabric F strip. Make 2 units.

## **QUILT ASSEMBLY**

Refer to the Quilt Assembly Diagram for the following steps.

1. Sew the 1<sup>3</sup>/<sub>4</sub>" x 23<sup>1</sup>/<sub>2</sub>" **Fabric B** strips to the top and bottom of the 231/2" x 421/2" Fabric A Panel, followed by the 1¾" x 45" *Fabric B* strips to the sides.

2. Sew the 1¾" x 26" *Fabric C* strips to the top andbottom of the guilt center, followed by the 13/4" x 471/2" Fabric C strips to the sides.

**3.** Sew the 1<sup>3</sup>/<sub>4</sub>" x 28<sup>1</sup>/<sub>2</sub>" **Fabric D** strips to the top andbottom of the guilt center, followed by the 1<sup>3</sup>/<sub>4</sub>" x 50" Fabric D strips to the sides of the quilt center.

4. Sew the 1¾" x 31" Fabric E strips to the top and bottom of the guilt center, followed by the 1¾" x 52½" Fabric E strips to the sides of the guilt center.





**5.** Sew the  $4\frac{1}{4}$ " x  $33\frac{1}{2}$ " **Fabric F** strips to the top and bottom of the quilt center, followed by the  $4\frac{1}{2}$ " x 60" **Fabric F** strips to the sides of the quilt center.

6. Sew together (1) 1¾" x 60" Fabric E strip and (1) 1¾" x 60" Fabric D strip along one long side.
Repeat for the second set of 1¾" x 60" Fabric E and Fabric D strips. Press.


**7.** Sew (2)  $1\frac{3}{4}$ " x 60" **Fabric E/D** strips to the sides of the quilt center. Press.

# FINISHING

**1.** Sew the 52" x WOF *Fabric G* pieces together along their 54" length to make backing.

- **2.** Layer backing, batting, and quilt top; baste.
- 3. Quilt as desired.

**4.** Make double-fold binding using the 2½" wide *Fabric B* strips, and sew the binding to the quilt using your preferred method.



Quilt Assembly

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.

QTfabrics.com | ©QT Fabrics | All rights reserved