


Oceana Quilt & Table Runner

QUILT SIZE 81" x 821/2" TABLE RUNNER SIZE 69" x 20"














TABLE RUNNER SIZE 69" x 20"

QUILT SIZE 81" x 821/2"

Fabric A CEANA FAT QUARTERS 1 BUNDLE Fabric B 21517 Z 27092 W 27092 E 27092 Fabric D 27092 Fa	FABRIC REQUIREMENTS							
I BUNDLE 6 1/2 YARDS 1 1/8 YARDS* 9 YARDS*	OCEANA FAT QUARTI	25	21517 Z		27092 W		27092 E	
4 UNITS 12 BOLTS 1 BOLT 12 BOLTS			·		·		9 YAKUS** 12 BOLTS	

- * includes binding
 ** backing only
- * Numbers within gray box = Number of Bolts needed to make 12 Kits





We recommend that you carefully read through all instructions before getting started on your project.

QUILT CUTTING DIRECTIONS

WOF = Width of fabric

From each of 15 fat quarters, cut:

- (1) 5½" x 21" strip; subcut (2) 5½" x 7½" rectangles.
- (4) 1½" x 21" strips, subcut (8) 1½" x 8½" rectangles.

From each of 4 fat quarters, cut:

- (3) 51/2" x 71/2" rectangles.
- (12) 11/2" x 81/2" rectangles.

From white tonal fabric, cut:

- (3) 61/2" x WOF strips. Subcut (84) 11/2" x 61/2" rectangles.
- (3) 7½" x WOF strips. Subcut (84) 1½ " x 7½" rectangles.
- (3) 10½" x WOF strips. Subcut (36) 3" x 10½" sashing rectangles.
- (9) 3" x WOF strips. Piece strips and subcut (5) 3" x 71½" sashing strips.
- (8) 5" x WOF strips. Piece strips and subcut (2) 5" x 73" side borders and (2) 5" x 80½" top and bottom borders.

From blue print fabric, cut:


• (9) 21/4" x WOF strips.

CONSTRUCTING THE QUILT BLOCKS


Use a 1/4" seam allowance throughout.

1. Sew (2) $1\frac{1}{2}$ " x $7\frac{1}{2}$ " white rectangles to the sides of a $5\frac{1}{2}$ " x $7\frac{1}{2}$ " print rectangle. Trim white rectangles to measure $\frac{3}{4}$ " from seam to raw edge.

Sew (2) $1\frac{1}{2}$ " x $6\frac{1}{2}$ " white rectangles to the top and bottom of the rectangle. Trim white rectangles to measure $\frac{3}{4}$ " from seam to raw edge. The unit should measure $\frac{6}{2}$ " x $\frac{8}{2}$ ".



2. Sew (2) $1\frac{1}{2}$ " x $8\frac{1}{2}$ " print rectangles to the sides of the unit, followed by (2) $1\frac{1}{2}$ " x $8\frac{1}{2}$ " print rectangles to the top and bottom.







QUILT CENTER ASSEMBLY

- 1. Referring to the Quilt Assembly Diagram, arrange the blocks in 6 rows of 7. Sew blocks and $3" \times 10\%"$ sashing rectangles into horizontal rows.
- 2. Join rows and the 3" x 711/2" white sashing strips to complete quilt center.

QUILT TOP ASSEMBLY

1. Sew the 5" x 73" white borders to the sides of quilt center, followed by the 5" x 801/2" white borders to the top and bottom to complete the guilt top.

QUILT FINISHING

- 1. Cut backing fabric into two 2½-yard lengths. Join pieces lengthwise.
- 2. Layer batting, batting, and quilt top. Baste.
- 3. Quilt as desired.
- 4. Make double-fold binding using the 21/4"-wide blue binding strips, and sew binding to guilt.



Quilt Assembly Diagram

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.





RUNNER CUTTING DIRECTIONS

Cut from leftovers from Oceana Quilt

From each of 15 fabrics, cut:

• (6) 31/2" x 31/2" squares.

From white tonal fabric, cut:


- (3) 2" x WOF strips. Subcut (48) 2" squares.
- (3) 21/2" x WOF strips. Subcut (5) 21/2" x 151/2" sashing rectangles.
- (5) 3" x WOF strips. From 1 strip, cut (2) 3" x 151/2" rectangles. Piece remaining strips and subcut (2) 3" x 691/2" strips.

From blue print fabric, cut:

• (5) 21/4" x WOF strips for binding.

CONSTRUCTING THE RUNNER BLOCKS


1. Draw a diagonal line on the wrong side of each 2" white tonal square. Place a square on a corner of a 3½" print square, right sides together. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal white tonal corner triangle. Repeat with another white tonal square on an adjacent corner of the print square to make a star unit, as shown. Make 6 matching units from each of 4 prints.



2. Arrange (11) 3½" print squares and 4 star units in 5 rows as shown. Sew the rows together to complete a pieced block. Make 6 identical blocks.













RUNNER ASSEMBLY

- 1. Sew together the blocks and (5) 2½" x 15½" white sashing rectangles to make runner center.
- 2. Sew the 3" x 15½" white rectangles to the short sides of runner center, followed by the 3" x 691/2" white strips to the long sides to complete runner top.



FINISHING

- 1. Layer backing, batting, and quilt top. Baste.
- Quilt as desired.
- 3. Make binding using the 21/4"-wide blue strips. Bind to finish runner.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.